


产品选型手册
PRODUCTS MANUAL



COMPANY PRO

上海汉钟精机股份有限公司


PS系列干式螺杆泵

PS SERIES DRY SCREW VACUUM PUMP

主要特点：


MAIN FEATURES:

Series	机种	-		外罩				
	Model	-	Type					
(PS)	(XXX)							
PS	80							
	160							
	180							
	302							
	602							
	903							
	1302							
	1802							
PD	2002							
	2202							
	120							
	300							
	400							
	650							
	800							



外形尺寸: PHYSICAL DIMENSION:


N型/N Type



单位/Unit :mm

机型 Model	A	B	C	D	E	G	H	K	L	M
PS80-N	375	320	550	185	740	923	576	668	105	224
PS160-N	405	350	565	213	837	1006	582	645		


A/N型 /A/N Type



单位/Unit :mm

机型 Model	A	B	C	D	E	G	H	K	L	M
PS80-A	380	663	552	190	740	814	576	668	105	224

● 高



PD性能曲线:



physic

PR系列

机型 Model	单位Unit	PR600					



化工专用真空泵浦

Dry Screw Vacuum pump

外形尺寸：physical dimension

性能参数

机型	防爆对应型号	抽气速率l/min	极限压力(Pa)
PS80	Ex80	1600	1
PD120	Ex120	2000	
PD160	Ex160	2600	
PD180	Ex180	3000	
PD300	Ex300	5500	
PD400	Ex400	6666	
PD650	Ex650	10840	
PD800	Ex800	13333	

机型	防爆		

汉

产